




GTJZ16



2012 .


1.

16

(GTJZ16)

	16.1m
	18.1m
()	1.35m
()	1.35m
	5.8m
	3.7m
	40%(4WD)
	680kg
	227kg
	4
()	0 ~ 6km/h
()	0 ~ 1.1km/h
()	7
()	12
	12.5m/s
	3°
	82 ()
	400N
()	4.86m
()	2.3m
()	3.24m
()	2.47m
	0.36m
	2.84m
(* *)	3.75*1.86*1.1m
(* *)	5.10*1.86*1.1m
(* *)	6.45*1.86*1.1m
	8250Kg(4WD)
/	33*12-20/
	110L
	150L
	110L
	12VDC
	404D-22, 37 /2800 /
	4WD*2WS

2.



3.

16

(GTJZ16):

		-
1.		()
2.		
3.		EATON ()
4.		()
5.		
6.		()
7.		
8.		()
9.		Sauer-Danfoss ()
10.		GE5.5
11.		
12.		
13.		KTR ()
14.	PLC	()
15.		()
16.		EMB
17.		

16

(GTJZ16):

		-
		RR

4.

1.16

-
- 4 , —
 - :6 / ;
 - —40% (4), ;
 - 40% ,
 - .
 - ,
 - -- « », 3 ,
 - ;
 - — ,
 - , 40 .
 - — 2 12 ,
 - ;
-
- ;
 - — ;
 - ;
 - ;
-
- ,
 - , ;
 - 680 ,
 - 227 .
-
- — , () ;

✓)	;	()
✓		—	,		
✓		,	,	,	,
✓		— /	,	/	
✓		;			
✓		,	,	,	,
✓		—	,		
✓		,	,	,	,
✓		—			
✓		,	,	,	,
✓		—			
✓		,	,	,	,
✓		0.8	,		
✓		;			
✓		—	,		
✓		;			
✓		—	,		
✓		,	,	,	,

arendalulek.ru

4

4

✓ 2.3

✓ 2.5

✓

✓

✓

✓

✓

10

arendalulek.ru

5.

➤ :
(1) : 680 .

(2) : GTJZ16 18.1 ,
--227 ;

(3) : 4 --40%,
;

(4) : 6 / ;

(5) + , ;

(6) , , ;

(7) PLC , , ;

➤ : , , ;

(1) , , ;

(2) , , ;

➤ : , , ;

(1) , ,) , PLC (, ;

(2) ; CE, AS

(3) + « Sa2.5+ »

(4) , ;

(5) , , , , ;

➤ : , , ;

(1) ;

(2) ;

arendalulek.ru