




GTJZ16



2012 .


# 1.

16

(GTJZ16)

	16.1m
	18.1m
( )	1.35m
( )	1.35m
	5.8m
	3.7m
	40%(4WD)
	680kg
	227kg
	4
( )	0 ~ 6km/h
( )	0 ~ 1.1km/h
( )	7
( )	12
	12.5m/s
	3°
	82 ( )
	400N
( )	4.86m
( )	2.3m
( )	3.24m
( )	2.47m
	0.36m
	2.84m
( * * )	3.75*1.86*1.1m
( * * )	5.10*1.86*1.1m
( * * )	6.45*1.86*1.1m
	8250Kg(4WD)
/	33*12-20/
	110L
	150L
	110L
	12VDC
	404D-22, 37 /2800 /
	4WD*2WS

2.



### 3.

16

(GTJZ16):

		-
1.		( )
2.		
3.		EATON ( )
4.		( )
5.		
6.		( )
7.		
8.		( )
9.		Sauer-Danfoss ( )
10.		GE5.5
11.		
12.		
13.		KTR ( )
14.	PLC	( )
15.		( )
16.		EMB
17.		

16

(GTJZ16):

		-
		RR

#### 4.

##### 1.16

- 
- 4 , —
  - :6 / ;
  - —40% ( 4 ), ;
  - 40% ,
  - .
  - ,
  - -- « », 3 ,
  - ;
  - — ,
  - , 40 .
  - — 2 12 ,
  - ;
- 
- ;
  - — ;
  - ;
  - ;
- 
- ,
  - , ;
  - 680 ,
  - 227 .
- 
- — , ( );



4

4

✓ 2.3

✓ 2.5

✓

✓

✓

✓

✓

10

arendalulek.ru

**5.**

- :
- (1) : 680 .
- (2) : GTJZ16 18.1 ,  
--227 ;
- (3) : 4 --40%,

- ;
- (4) : 6 / ;
- (5) + , ;
- (6) , , ;
- (7) PLC , , ;

- :
- (1) , , .
- (2) , , ;

- :
- (1) , , PLC , ( , , ) ;

- (2) CE, AS ;
- (3) + « Sa2.5+ »

- (4) ,
- (5) , , , , , ;

- ;

- 
- (1) ;
- (2) ;



arendalulek.ru